



UNITED STATES PATENT AND TRADEMARK OFFICE

DATE MAILED: 04/06/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/810,622	03/29/2004	Hung-Yu Li	3226/23	9844
. 75	590 04/06/2005		EXAM	INER
	SCHULTZ & DOUG	JOHNSON, JERROLD D		
612 Crystal Square 4 1745 Jefferson Davis Highway			ART UNIT	PAPER NUMBER
Arlington, VA		3728		

Please find below and/or attached an Office communication concerning this application or proceeding.



		Application No.	Applicant(s)	
		10/810,622	LI, HUNG-YU	
Office Action	Summary	Examiner	Art Unit	
		Jerrold Johnson	3728	
The MAILING DATE Period for Reply	of this communication app	ears on the cover sheet with the c	correspondence address	
THE MAILING DATE OF - 'Extensions of time may be availal after SIX (6) MONTHS from the m - If the period for reply specified ab - If NO period for reply is specified - Failure to reply within the set or e	THIS COMMUNICATION. ble under the provisions of 37 CFR 1.13 lailing date of this communication. bove is less than thirty (30) days, a reply above, the maximum statutory period was ktended period for reply will, by statute, ater than three months after the mailing	If IS SET TO EXPIRE 3 MONTH(36(a). In no event, however, may a reply be tire within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE date of this communication, even if timely filed	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
1) Responsive to com	munication(s) filed on 29 M	arch 2004.		
2a) This action is FINA		action is non-final.		
	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims				
4) ⊠ Claim(s) 1-9 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-9 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.				
Application Papers	·			
9) The specification is	objected to by the Examine	РГ.		
10) The drawing(s) filed	on is/are: a)☐ acc	epted or b) objected to by the	Examiner.	
•	• •	drawing(s) be held in abeyance. Se		
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority under 35 U.S.C. § 1	19			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s)				
1) Notice of References Cited (P		4) Interview Summary		
· ·	nt Drawing Review (PTO-948) lent(s) (PTO-1449 or PTO/SB/08)	Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate Patent Application (PTO-152)	

Art Unit: 3728

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 4,5,6 and 7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 4 "the aperture" is confusing, as there have previously been claimed a "plurality of rows of apertures". Additionally, the aperture itself should be defined by the structure that forms it, as the aperture itself is the absence of structure. Accordingly, the proper claim language would be the "aperture is defined by a slanted ..." Furthermore, the claim ends abruptly with fluid in a confusing manner. Correction is required.

Claim 5, again "the aperture" as in claim 4, and again, an aperture cannot be upright, the structure which defines it, however, can be upright.

Claim 6, "cones" have not yet been set forth in the claims. Additionally, "flush" would be better served by "flush with each other" as currently there is no explanation in the claims as to with what the apexes are flush.

Claim 7 is confusing. The height of the innermost rows does not increase, as is claimed. The height of the cones increases from the innermost rows to the outermost rows.

Correction is required.

Art Unit: 3728

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 1. Claims 1-3,5,6 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Benoto US D137,908.

Re claim 1, Huxtable discloses and open first container that is capable of supporting a second container. The first container of Huxtable does not disclose the second container nor a plurality of slits.

Gruendl discloses a soap dish comprising a plurality of parallel slits, so as to allow water to drain through the bottom of the container.

Smith discloses the known use of a second container configured for supporting a bar of soap fitted within a first container.

Art Unit: 3728

Benoto discloses a second container capable of being fitted in the first container, the second container including a plurality of rows of tapered projections on a bottom, the rows of projections being adapted to support a soap, and a plurality of rows of apertures each row of apertures being disposed between two adjacent rows of projections, wherein water stored in the second container is adapted to carry off through the rows of apertures by passing the projections, and outside air is adapted to reach the soap via the rows of apertures.

It would have been obvious at the time of the invention to one of ordinary skill in the art to have provided the open first container of Huxtable with parallel slits as taught by Gruendl so as to provide drainage of water from the first container. It further would have been obvious to combine the first container of Huxtable in view of Gruendl with a second container as taught by Smith so as to elevate a bar soap off of the first container and maximize air flow around the bar of soap, as well as to provide the user of the containers with greater ease of cleaning the containers. It further would have been obvious to provide a second container with interspersed rows of projections and apertures as taught by Benoto so as to maximize air flow around the soap bar, as well as for enhanced esthetics.

Re claim 2 and 3, although it is unclear if Smith discloses the first and second containers being integral or separable, it would be obvious to one of ordinary skill in the art to make them in either manner. Making them integral, such as either by adhesive attachment or through a unitary manufacture would minimize the possibility that the second container could fall from the first container or be inadvertently stuck to a soft bar

Art Unit: 3728

of soap. Making them separable would enhance the ability to remove the second container for cleaning.

Note MPEP 2144.04 which sets for the PTO examination guidelines on the issues of making separable and making integral. In most situations, such as in the current application, making integral or separable are within the purview of a skilled artisan.

Re claim 5, the apertures of Benoto are upright, or more accurately, the walls defining the apertures are upright.

Re claim 6, the apexes of Benoto are flush with each other.

Re claim 8, note raised pads on the bottom surface on Benoto.

2. Claims 1,2,3,5,6,8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549.

Re claim 1, Huxtable discloses and open first container that is capable of supporting a second container. The first container of Huxtable does not disclose the second container nor a plurality of slits.

Gruendl discloses a soap dish comprising a plurality of parallel slits, so as to allow water to drain through the bottom of the container.

Smith discloses the known use of a second container configured for supporting a bar of soap fitted within a first container.

Art Unit: 3728

Greenhut discloses a second container capable of being fitted in the first container, the second container including a plurality of rows of tapered projections on a bottom, the rows of projections being adapted to support a soap, and a plurality of rows of apertures, wherein water stored in the second container is adapted to carry off through the rows of apertures by passing the projections, and outside air is adapted to reach the soap via the rows of apertures.

Greenhut does not disclose that each row of apertures being disposed between two adjacent rows of projections.

Evans discloses each row of apertures being disposed between two adjacent rows of projections.

It would have been obvious at the time of the invention to one of ordinary skill in the art to have provided the open first container of Huxtable with parallel slits as taught by Gruendl so as to provide drainage of water from the first container. It further would have been obvious to combine the first container of Huxtable in view of Gruendl with a second container as taught by Smith so as to elevate a bar of soap off of the first container and maximize air flow around the bar of soap, as well as to provide the user of the containers with greater ease of cleaning the containers. It further would have been obvious to provide a second container with projections and apertures as taught by Greenhut so as to maximize air flow around the soap bar, and to have interspersed rows of projections with rows of apertures as taught by Evans so as to provide enhanced esthetics.

Art Unit: 3728

Re claim 2 and 3, although it is unclear if Smith discloses the first and second containers being integral or separable, it would be obvious to one of ordinary skill in the art to make them in either manner. Making them integral, such as either by adhesive attachment or through a unitary manufacture would minimize the possibility that the second container could fall from the first container or be inadvertently stuck to a soft bar of soap. Making them separable would enhance the ability to remove the second container for cleaning.

Note MPEP 2144.04 which sets for the PTO examination guidelines on the issues of making separable and making integral. In most situations, such as in the current application, making integral or separable are within the purview of a skilled artisan.

Re claim 5, the apertures of Greenhut are upright, or more accurately, the walls defining the apertures are upright.

Re claim 6, the apexes of Greenhut are flush with each other.

Re claim 8, note raised pads on the bottom surface on Greenhut (additional projections).

Re claim 9, the projections are cones.

3. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549, and further in view of White US D193,085.

Art Unit: 3728

Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549 does not disclose apertures comprising slanted annular top surfaces and lower upright channels, i.e. champfered apertures.

White discloses slanted annular top surfaces and lower upright channels, i.e. champfered apertures.

Accordingly, It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the soap dish of Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549 by providing champfered apertures to enhance the drainage capability of the second container.

4. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549, and further in view of Ackermann Swiss CH 657,826.

Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549 does not disclose the height of the cones increasing from the innermost rows to the outermost rows.

Ackermann, discloses that the height of soap supporting projections increase from an innermost position to an outermost position.

Art Unit: 3728

Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the soap dish of Huxtable US 5,178,353 in view of Gruendl US D83,439, Smith US D186,809, and Greenhut et al. US D312,740 and Evans US 3,019,549 by providing a the second container with a profile where the height of the cones increasing from the innermost rows to the outermost rows. This profile would accommodate the many soap bars which have a curved bottom surface, as is shown in phantom lines by Ackermann in Fig. 2.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Reefe US D137,131 discloses projections at the innermost rows being shorter than that in the outermost rows, as well as rows of projections interspersed by apertures.

Welles US D107,889 discloses tapered projections interspersed with apertures.

Dworkin US 4,300,248 discloses a second container disclosed within a first container. The second container includes apertures.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerrold Johnson whose telephone number is 571-272-7141. The examiner can normally be reached on 9:30 to 6:00 M-F.

Application/Control Number: 10/810,622 Page 10

Art Unit: 3728

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JDJ

Mickey Yu Supervisory Patent Examiner Group 3700

Art Unit: 3728

Page 11

Notice of References Cited Application/Control No. 10/810,622 Examiner Jerrold Johnson Applicant(s)/Patent Under Reexamination LI, HUNG-YU Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-5,178,353	01-1993	Huxtable, Paul S.	248/222.52
	В	US-D312,740	12-1990	Greenhut et al.	D6/536
	С	US-D193,085	06-1962	White	D6/536
	D	US-3,019,549	02-1962	EVANS WALTER E	206/77.1
	Е	US-D186,809	12-1959	Smith	D6/533
	F	US-D141,011	04-1945	Madan	D6/536
	G	US-D137,908	05-1944	Benoto	D6/536
	Н	US-D107,889	01-1938	Welles	D6/539
	ı	US-D137,131	01-1944	Reefe	D6/536
	J	US-D83,439	02-1931	Gruendl	. D6/540
	к	US-			
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N	CH 657826 A5	09-1986	Switzerland	ACKERMANN, LUTZ	B65D 81/36
	0					
	Р					
	Q					
	R					
	s	•				
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	٧	
	w	
	x	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.



SCHWEIZERISCHE EIDGENOSSENSCHAFT

BUNDESAMT FÜR GEISTIGES EIGENTUM

① CH 657826

(5) Int. Cl.4: B 65 D

Erfindungspatent für die Schweiz und Liechtenstein Schweizerisch-liechtensteinischer Patentschutzvertrag vom 22. Dezember 1978

12 PATENTSCHRIFT AS

(21) Gesuchsnummer:

4925/82

(3) Inhaber:
"am"-kosmetik GmbH + Co. KG,
Frankenthal/Pfalz (DE)

2 Anmeldungsdatum:

17.08.1982

30 Priorität(en):

13.05.1982 DE U/8213946

2 Erfinder:

Ackermann, Lutz, Frankenthal/Pfalz (DE)

24 Patent erteilt:

30.09.1986

45 Patentschrift veröffentlicht:


30.09.1986

Vertreter: A. Braun, Braun, Héritier, Eschmann AG, Patentanwälte, Basel

Seifenverpackung.

Die ähnlich einer Zündholzschachtel aufgebaute Seifenverpackung weist eine Hülle (1) aus Karton oder Kunststoff auf, in welche sich ein aus Kunststoff erstellter Schubkasten (2) einschieben lässt. Der Boden (4) des Schubkastens (2) ist mit Löchern (5) versehen und der Form der zu verpackenden Seife (3) angepasst.

Diese Verpackung verhindert das "Sumpfen" sowie das Verrutschen der Seife und eignet sich insbesondere für die Reise.



PATENTANSPRÜCHE

 Seifenverpackung, gekennzeichnet durch eine hülsenartige Hülle (1) und einen seitlich in die Hülle (1) einschiebbaren wannenartigen Schubkasten (2, 6) aus Kunststoff, der zur Aufnahme der Seite (3) bestimmt ist.

2. Seifenverpackung nach Anspruch 2, dadurch gekennzeichnet, dass der Bodenteil (4) des Schubkastens (2, 6) an die Form der Seife (3) angepasst geformt ist.

3. Seifenverpackung nach Anspruch 1 oder 2, dadurch gekennzeichnet, dass der Bodenteil (4) des Schubkastens (2, 6) Löcher (5) enthält.

 Seifenverpackung nach Anspruch 2 oder 3, dadurch gekennzeichnet, dass der Bodenteil (4) des Schubkastens (6) Profilstege (7) aufweist, deren der Seife (3) zugewandter Verlauf deren Form angepasst geformt ist.

5. Seifenverpackung nach einem der Ansprüche 1 bis 4, dadurch gekennzeichnet, dass die Hülle (1) aus Karton besteht

 Seifenverpackung nach einem der Ansprüche I bis 5, dadurch gekennzeichnet, dass die Hülle (1) nach Art eines Schubers ausgebildet ist.

Die Erfindung betrifft eine Seifenverpackung. Üblicherweise besteht eine Seifenverpackung aus einem Faltkarton, aus dem nach Öffnen einer eingesteckten Klappe die Seife entfernbar ist, wobei die Verpackung anschliessend weggeworfen wird.

Zur Aufbewahrung von Seifen an Waschbecken dienen Seifenmulden, in denen die Seife an einigen Stellen abgestützt wird, damit das Wasser ablaufen kann, damit die Seife nicht «sumpft».

Auf Reisen werden häufig wannenartige Kästen verwendet, in die die Seife eingelegt wird, wobei dann ein entsprechend angepasst ausgebildeter, ebenfalls kastenartiger Dekkel darüber gestülpt wird. In diesen Behältern kann die Seife sumpfen. Darüberhinaus handelt es sich um einen Gegenstand, der zusätzlich zur Seife selbst erstanden werden muss. Selbst wenn in Einzelfällen derartige Behälter zusammen mit der Seife angeboten werden, sind sie zusätzlich in einem Faltkarton aufbewahrt.

Es ist Aufgabe der Erfindung eine Seifenverpackung anzugeben, bei der der wegzuwerfende Anteil aufs Äusserste verringert ist.

Die Aufgabe wird erfindungsgemäss durch eine hülsenartige Hülle und einen seitlich in die Hülle einschliebbaren wannenartigen Schubkasten aus Kunststoff, der zur Aufnahme der Seife bestimmt ist, gelöst.

Vorteilhafterweise ist der Bodenteil des Schubkastens an die Form der Seife angepasst geformt, wodurch eine Beschäüberdigung der Seife beim Transport vermieden und darüberhinaus ein lästiges Klappern verhindert ist.

Von weiterem Vorteil ist, wenn durch Löcher in dem Bodenteil und/oder Profilstege erreicht ist, dass die Seife schnell abtrocknen kann, also ein Sumpfen der Seife verhindert ist.

Somit wird durch die Erfindung eine Seifenverpackung angegeben, die nicht nur als Verkaufsverpackung dient, sondern auch als Behälter für unterwegs geeignet ist und die darüberhinaus in einfacher preiswerter Weise augebildet ist. Für Verkaufszwecke genügt es, die Seifenverpackung insgesamt oder lediglich den Schubkasten mit eingelegter Seife durch eine Klarsichtfolie zu umgeben.

Die Erfindung wird anhand der in der Zeichnung dargestellten Ausführungsbeispiele näher erläutert. Es zeigen:

Fig. 1 die Seifenverpackung ohne Seife, bei der der Schubkasten aus der Hülle herausgezogen ist, Fig. 2 den Schnitt II-II in Fig. 1 bei in die Hülle eingeschobenem Schubkasten,

Fig. 3 schematisch eine Ausführungsform des Schubkastens mit Profilstegen.

Die in Fig. 1 dargestellte Seifenverpackung ist ähnlich einer Zündholzschachtel durch einerseits eine Hülle 1, vorzugsweise aus Karton, und andererseits einen Schubkasten 2 aus Kunststoff gebildet. Die Hülle kann selbstverständlich ebenfalls aus Kunststoff bestehen.

Die Hülle 1 ist, falls sie aus Karton besteht, aus einem rechteckförmigen Zuschnitt um Falzungen gefaltet gebildet, wobei sich zwei Endabschnitte überlappen und die überlappenden Bereiche miteinander verklebt oder in anderer Weise miteinander verbunden sind, wie das beispielsweise bei Zündholzschachteln üblich ist. Wenn die Hülle 1 aus Kunststoff besteht, kann sie einstückig geformt sein. Die Hülle 1 kann Aufkleber oder Aufdrucke zur Präsentation der Ware, nämlich der eingelegten Seife, enthalten.

Der Schubkasten 2 besteht im Wesentlichen aus Seitenwänden 8, 9, Stirnwänden 10, 11 und einem Bodenteil 4. Vorzugsweise weist der Bodenteil 4 über den gesamten Flächenbereich verteilt Löcher 5 auf. Wie sich das aus Fig. 2 ergibt, sind die Abmessungen der Stirnwände 10, 11 und der Seitenwände 8, 9 so, dass der Schubkasten 2 im Wesentlichen bündig in die Hülle 1 eingeschoben werden kann. Der Bodenteil 4 ist bevorzugt an die Form der Seife 3 angepasst verformt. Dadurch ist ein Verrutschen der (fabrikneuen) Seife in der Seifenverpackung aus Hülle 1 und Schubkasten 2 sicher verhindert, wie das in Fig. 2 dargestellt ist. Im Gebrauch wird der Schubkasten 2 wie bei einer Zündholzschachtel aus der Hülle 1 seitlich herausgeschoben, woraufhin die Seife 3 zugänglich ist.

Sie kann nach Gebrauch wieder in die durch den geformten Bodenteil 4 gebildete Mulde zurückgelegt werden. Durch
die Löcher 5 im Bodenteil 4 kann das Wasser abfliessen, wodurch die Seife 3 trocken wird und ein Sumpfen der Seife 3
sicher vermieden ist. Anschliessend kann der Schubkasten 2
mit der (trockengewordenen) Seife wieder in die Hülle 1 zutückgeschoben werden. Die Seifenverpackung kann wieder
verwendet werden. D. h. also, dass die erfindungsgemässe
Seifenverpackung nicht nur zur Verkaufspräsentation geeignet ist, sondern auch beispielsweise auf Reisen als Reisebehälter verwendet werden kann. Das Mitnehmen zusätzlicher
Reisebehälter ist somit entbehrlich. Auch bei ständigem Gebrauch im Haushalt ist eine Verschmutzung der am Waschbecken vorgeschenen Mulde weitestgehend vermieden.

Zur Erleichterung der Handhabung der Seife 3, d.h. damit diese leichter aus dem Schubkasten 2 herausgenommen werden kann, können die Seitenwände 8 und 9, wie das in Fig. 1 und Fig. 2 dargestellt ist, seitliche Eingriffs-Ausnehmungen 12 aufweisen.


Insbesondere für Reisezwecke kann es vorteilhaft sein, wenn die Hülle 1 der Seifenverpackung nach Art eines Schubers ausgebildet ist, d. h. lediglich eine Einschuböffnung 13 aufweist und das dieser gegenüberliegende Ende der Hülle 1 verschlossen ist, wie durch eine Wand 14, wie das in Fig. 2 in Strichpunktlinien dargestellt ist.

Gemäss einer anderen Ausführungsform ist der Bodenteil 4 des Schubkastens 6 durch Profilstege 7 gebildet, die wie
bei dem Ausführungsbeispiel gemäss Fig. 1 einen der Seife 3
zugewandten Verlauf besitzen, der deren Form angepasst ist.
Wenngleich auch bei diesem Ausführungsbeispiel Löcher,
wie die Löcher 5 vorgesehen sein können, so ist dies nicht
szwingend. Falls keine derartigen Löcher vorgesehen sind,
muss vor dem Wiedereinschieben des Schubkastens 6 in die
Hülle 1 lediglich die getrocknete Seife noch einmal herausgehoben und das abgelaufene Wasser ausgegossen werden.

657 826

Beiden Ausführungsformen der Erfindung ist gemeinsam, dass der Schubkasten 2 bzw. 6 nicht nur als Verpakkung für die Verkaufsrepräsentation verwendet werden

kann, sondern darüberhinaus auch als Behälter für die Seife auf Reisen verwendet werden kann.



MILES 700 Bidg TROORANDOLPH

DEPARTMENT OF COMMERCE

OMMISSIONER FOR PATENTS

O BOX 1450

ÁLEXANDRÍA, VA 22313-1450 IF UNDELÍVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER

NIXIE 2030 1 07 04/13/05

RETURN TO SENDER
NOT DELLVERABLE AS ADDRESSED
UNABLE TO SENDER
RETURN TO SENDER
RETURN TO SENDER

RECEIVED

APR 1 4 2005

USPTO MAIL CENTER

BEST AVAILABLE COPY